

DECLARATION OF CONFORMITY

AL-0000420891 rev.A
 (according to ISO/IEC 17050)

Allegion (UK) Ltd.

Declares under its sole responsibility that the Briton 4735 Flush Bolts, listed below have been tested in accordance with the EN 12051:1999 requirements and achieved the below classification.

Briton Product Codes	
4735.R.20.914.SS	4735.S.20.914.SS

Coding system according to EN 12051						
1	2	3	4	5	6	7
Category of use	Number of Test cycles	Door mass	Fire resistance	Safety	Corrosion resistance	Security
4	3	-	0	1	3	1

Allegion (UK) Ltd.

Declares under its sole responsibility that the Briton 4735 Flush Bolts, listed below have been tested in accordance with the EN 12051:1999 requirements and achieved the below classification.
 The below listed products may be fitted to insulated timber doorsets, to provide 60 minutes integrity performance in accordance with BS 476:Part 22: 1987 or BS EN 1634-1:2000.

Briton Product Codes	
4735.R.20.202.SS	4735.S.20.202.SS
4735.R.20.300.SS	4735.S.20.300.SS
4735.R.20.400.SS	4735.S.20.400.SS
4735.R.20.600.SS	4735.S.20.600.SS

Coding system according to EN 12051						
1	2	3	4	5	6	7
Category of use	Number of Test cycles	Door mass	Fire resistance	Safety	Corrosion resistance	Security
4	3	-	1	1	3	1

This declaration of conformity is issued under the sole responsibility of Allegion (UK) Ltd.
Signed for and on behalf of Allegion (UK) Ltd:

Chris Crampton
Controller - Unitary EMEA, Finance and Accounting



Allegion (UK) Limited
35 Rocky Lane
Aston
Birmingham
B6 5RQ

23rd February 2017