




Certificate of Compliance

You have been awarded:

Intertek Warnock Hersey Mark for fire resistant doors and door sets

UL 10C (2016): NFPA 252 (2012)

Certificate number: WHI17 – 11118028



This is a certificate of conformity to certify that the bearer has successfully completed the requirements of the above scheme which include the testing of products, the initial assessment of their Factory Production Control and are subject to continuing annual assessments of their continued Factory Production Control compliance and testing of samples of products taken from production (as applicable to the scheme) and has been registered within the scheme for the products detailed in the accompanying schedule.

Organization:

QMI Building Metal Products Manufacturing LLC

M-1-2-3, Dubai Industrial City
PO Box 233895
Dubai
UAE

Product:

Qatar Metal Insulated Steel Doorset with Temperature Rise Restriction of 250°F @ 30 minutes for 3hr fire rating

Leaf Construction- Mechanically engaged interlocked seam with welding
Infill- Rockwool (density- 150 kg/m³)

Ratings: 180 minutes fire rating as per UL 10C / NFPA 252

The doors have a temperature rise restriction rating of 250°F at 30 minutes.

Maximum Sizes:

	Single leaf door
Door Frame Size	1190 x 2395 x 150mm (w x h x jamb depth)
Door Leaf Size	1104 x 2342 x 63mm (w x h x t)

Note- No extension in height and width is allowed above the tested sizes.

For full details of the certified product please refer to the test report RC051 TBWIC & listing report ID 41662.

Certification body: Intertek Testing Services NA, Inc.

Initial registration: May 28, 2017

Date of expiry: May 27, 2022

Issue status: 1

Dustin Behling
Certification Coordination Manager

Name

Signature

28 May 2017

Date

Registered address:

Intertek Testing Services NA, Inc. 545 E. Algonquin Rd., Arlington Heights, IL 60005 USA

www.intertek.com

The certificate and schedule are held in force by regular annual surveillance visits by Intertek Testing & Certification Ltd and the reader or user should contact Intertek to validate its status. This certificate remains the property of Intertek Testing & Certification Ltd and must be returned to them on demand. This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.